



### Certificate of Analysis

<b>Product name</b>	Polydatin	<b>Manufacture date</b>	Dec.30.2023
<b>Batch number</b>	SW231230	<b>Analysis date</b>	Dec.31.2023
<b>Batch Quantity</b>	500kg	<b>Expiry date</b>	Dec.30.2025

ANALYSIS	SPECIFICATION	RUSULT
Assay	≥98%	98.67%
Appearance	White powder	Conforms
Odor	Characteristic	Conforms
Particle size	100% pass 80 mesh	Conforms
Ash	≤5.0%	1.05%
Loss on drying	≤5.0%	2.23%
Heavy metals	≤10ppm	Conforms
As	≤2ppm	Conforms
Pb	≤0.5ppm	Conforms
Hg	Not detected	Not detected
Cd	≤1ppm	Conforms
Total plate count	≤1000cfu/g	Conforms
Total yeast & mold	≤100cfu/g	Conforms
E.coil	Negative	Negative
Salmonella	Negative	Negative
Staphlococcus aureus	Negative	Negative
Conclusion	Complies to Enterprise Standard	

<b>Packing description:</b>	Sealed export grade drum & double of sealed plastic bag
<b>Storage:</b>	Store in cool & dry place, keep away from strong light and heat
<b>Shelf life:</b>	2 years when properly stored

Quality Assurance Officer: 李强

Corrector: 佟丽华

Analyst: 方琼

